

# iPhone Tutorial

## LA Taurus Mobile

Note – This tutorial is written for Android devices but can be used for iOS devices with one difference. The secondary menu on Android devices is hidden behind a 3-dot menu but in iOS devices is shown under the primary menu. Screenshots are from VN Taurus Mobile but apply to LA Taurus Mobile, as well.

### Animal Information screen

1. From the main menu choose the LC\_B, Least Cost Ration for Growing or Finishing Cattle.
2. Enter the animal information as shown below:


The image displays two screenshots of the 'Animal Information [LC\_G]' screen in an Android emulator. The left screenshot shows the 'Title' field with 'Example' and 'Overhead Cost (\$/day) (\$/day)' with '0.20'. The right screenshot shows 'Compensatory Growth' with 'No', 'Breed' with 'Holstein', 'Frame' with 'Medium', 'Sex' with 'Steer', 'Age' with 'Yearling', 'Implant' with 'Yes', 'Additive' with 'None', 'Temperature' with 'Normal', and 'Mud' with 'None'.

Note that the animal information is the same as the default one, except for the Overhead cost on Implant fields.

## Feeds screen


1. From the Goto menu go to the Feeds screen and enter the following 12 feeds from the standard library.
2. To add feeds, click on the 3-dots menu at the top left corner and select the Add option.
3. Once the Add dialog box appears enter the feed number and click the Find button to find its name. Once the feed name is found click the Add button to add it to the feed list. Repeat this process to add all 12 feeds. Once all feeds are added click the Camel button to exit the Add dialog box and return to the Feed list screen.

Feed numbers are: 13, 30, 154, 162, 231, 267, 383, 399, 430, 563, 675, 692



## Ration screen

From the Goto menu go to the Ration screen and enter feeds prices as shown below. Feed prices are in local currency per metric ton as fed. Do not enter feed amounts, which will be calculated by the program during the formulation process for a list cost ration. In the evaluation mode you enter both feed amounts and feed prices, but in the formulation mode you enter only feed prices.



Android Emulator - pixel\_5\_-\_api\_33\_1:5554

6:12

FILES GOTO... HELP


Beef\_VN\_Eng [LC\_G] {Version 2023.01.27} [Untitled]  
Raion [LC\_G]

Feed amounts are in kg as fed. Feed prices are in local currency per metric ton as fed

Feed Name	Amount	Price
Std [ 13] ALFALFA hay 28% Crude Fiber	0	137.79
Std [ 30] ALMOND hulls 15 percent Crude Fiber	0	82.67
Std [ 154] BUCKWHEAT grain	0	110.28
Std [ 162] CALCIUM phosphate di	0	529.10
Std [ 231] CORN grain flaked	0	132.28
Std [ 267] FAT animal Hydroponic	0	264.55
Std [ 383] MOLASSES cane	0	88.18
Std [ 399] OAT hay dough stage	0	110.23
Std [ 430] OYSTERSHELL ground	0	110.23
Std [ 563] RICE hulls	0	0
Std [ 675] UREA 45% nitrogen	0	254.55
Std [ 692] WHEAT grain Soft red winter (SRW)	0	127.79

## Nutrient Constraints screen

From the Goto menu go to the Nutrient Constraints. Once there, click on the 3-dots menu at the top left corner and select the Recalculate Constraints option.



Internal Name	Display Name	Pct_Unit	Pct_UsrMin	Pct_UsrMax	Amt_Unit
DM	Feed Dry Matter	% DM			kg
NEM	Net Energy for	Mcal/kg	0.983	0.983	Mcal
CP	Crude Protein	% DM	11.331		kg
CA	Calcium	% DM	0.378	2.000	kg
P	Phosphor	% DM	0.240	1.000	kg

The program calculates the following nutrient constraints for the specified animal information. The most important nutrients are energy, protein, calcium, and phosphor.

- DM (Dry Matter Intake): Minimum 7.877 kg, Maximum 7.877 kg
- NEM (Net Energy for Maintenance): Minimum 0.983 Mcal/kg, Maximum 9.983 Mcal/kg
- CP (Crude Protein): Minimum 11.331 % DM, there is no maximum limit.
- CA (Calcium): Minimum 0.378 % DM, maximum 2 % DM.
- P (Phosphor): Minimum 0.340 % DM, maximum 1 % DM.

## Feed Constraints screen

From the Goto menu go to the Feed Constraints.

Once there, navigate to feed number 675 Urea.

Once the Urea is selected, click on the 3-dots menu at the top left corner and select the Edit option.

Once the Edit screen appears, set a maximum of 1% DM, and click the Save button.

This constraint prevents the program from bringing too much Urea in the formulated ration.

Android Emulator - pixel\_5\_-\_api\_33\_1:5554

7:03

SAVE CANCEL

**Edit Feed Constraints [LC\_G]**

Animal Type

Growing

Feed Name

Std [ 675] UREA 45% nitrogen

Minimum

Minimum Unit

Maximum

1

Maximum Type

04 [%TDM] % of TOTAL ration on 100% DM

## Feed Group Constraints screen

From the Goto menu go to the Feed Group Constraints.

Once there, navigate to feed group number 11 Fats and Oils.

Once the feed group 11 is selected, click on the 3-dots menu at the top left corner and select the Edit option.

Once the Edit screen appears, set a minimum of 2 % DM and a maximum of 16% DM, and click the Save button.

This constraint prevents the program from bringing too little or much fat and oil feed in the formulated ration.

Repeat the same process and set a maximum of 10% for the feed group 12 Molasses.

Android Emulator - pixel\_5\_-\_api\_33\_1:5554

9:29

← SAVE CANCEL

**Edit Feed Group Constraints [LC\_G]**

Animal Type

Growing

Feed Group Number

11

Feed Group Name

11. Fat and oils

Minimum

2

Minimum Unit

04 [%TDM] % of TOTAL ration on 100% DM

Maximum

6

Maximum Type

04 [%TDM] % of TOTAL ration on 100% DM

## Ratio Constraints screen

From the Goto menu go to the Ratio Constraints.

Once there, navigate to the first ration in the list.

Once the first ration is selected, click on the 3-dots menu at the top left corner and select the Edit option.

Once the Edit screen appears, confirm that the ratio of Calcium to Phosphor is set to a minimum of 1.200 DM.

Do not change anything and click Cancel to go back to the list of ratio constraints

Android Emulator - pixel\_5\_-\_api\_33\_1:5556

6:57

SAVE CANCEL

**Edit Ratio Constraint [LC\_G]**

Type

0 Nutrient

Numerator

CA Calcium

Denominator

P Phosphor

Amount

1.200


Unit

3 MIN DM minimum constraint, 100% dry m

## Save ration file

Click on the Files menu and select the “Save As” option.

Save the ration data file as **Example-01**







## Reports

From the Goto menu go to the Reports.

Once there, select the “All” option and click the GENERATE SELECTED REPORTS button.




Once you click the button, a warning window pops up, as shown below



Telling you that generating reports may take a long time. Because the program first calculated NRC nutrient requirements, then formulates a least cost ration using a linear programming engine, then generates reports in the Rich Text Format (rtf) and finally converts generated reports to PDF format.

Click the YES button and wait. Do not click anything else. Just be patient and wait.

Eventually another window pops up telling you if the formulation was successful, as shown below:



Click the OK button. The program opens your default email program on your phone and attaches the reports to this email. Reports are in Rich Text Format (RTF). Send the email to yourself. To view the RTF attachment, you must have proper fonts and proper RTF reader app on your phone. Please see the Installation instructions for system requirements.

Open the email and double click on the attached RTF file and view it with your RTF viewer.